


# CARLO CHANDELIER

## INSTALLATION INSTRUCTIONS

### 1 OF 7

BARONCELLI ⌘



#### WHAT IS INCLUDED

1. Ceiling canopy
2. Glass elements
3. Chain
4. Spares

#### WEIGHTS

5 Lights	12kg (27lb)
7 Lights	15kg (34lb)
9 Lights	18kg(40lb)

#### WHAT YOU WILL NEED


1. Hook / Junction box fixings
2. Bulbs - E14 (240v) / E12 (120v) - Max 40W
3. Screwdriver (3.5mm / 1/8" flat tip) + pliers
4. Soft cloth

# CARLO CHANDELIER

## INSTALLATION INSTRUCTIONS

### 2 OF 7


BARONCELLI ⌘



#### STEP 1


Using a heavy-duty hook secured firmly into a joist, hook the ceiling canopy and chain. Ensure hook is capable of taking the required weight.

NOTE: CEILING HOOK IS NOT SUPPLIED




#### STEP 1 (U.S)

Securely fasten bracket bar to the junction box. Pass the stem through the bracket bar and secure using nuts above and below. Ensure the fixing is capable of taking the required weight.



#### STEP 2

Remove excess chain to determine full drop.



#### STEP 3


Use shackle to hook the stem to the chain.

# CARLO CHANDELIER

## INSTALLATION INSTRUCTIONS


### 3 OF 7

BARONCELLI ⌘




#### STEP 4

Thread cable up through the length of the stem, thread it through the chain and post up through the tube into the ceiling canopy.



#### STEP 5

Install the arms into their corresponding sockets within the fondino plate. Secure using grub screw below the plate and make electrical connection using 'click' connectors.




**ENSURE ANY ELECTRICAL WORK IS CARRIED OUT BY A QUALIFIED ELECTRICIAN**

#### STEP 6

Make electrical connection. Install bulbs and electrics.

NOTE: Bulbs - E14 (240v) / E12 (120v) - Max 40W



#### STEP 7

Raise ceiling canopy and secure in position. Install disc, candle sleeve, shade and bulb onto each arm.


NOTE: Bulbs - E14 (240v) / E12 (120v) - Max 40W

# CARLO CHANDELIER

## INSTALLATION INSTRUCTIONS

### 4 OF 7

BARONCELLI 



#### STEP 8

Raise fondino and metal liner into position and secure using finial beneath.


\*ENSURE ANY ELECTRICAL WORK IS CARRIED OUT BY A QUALIFIED ELECTRICIAN\*

# OPERATION AND MAINTENANCE

## INSTALLATION INSTRUCTIONS


### 5 OF 7

BARONCELLI 




#### GLASS CLEANING

Glass elements should be carefully cleaned using a soft cloth.




#### METAL CLEANING

Carefully clean metal surfaces using a soft cloth and no liquid.



#### REPLACING A BULB

If shade is in place, remove first, carefully lift until the clip fitting releases itself of the bulb.



#### REPLACING A BULB

Ensure electricals are switched off and bulb has cooled down. Remove bulb and replace.

NOTE: Bulbs - E14 (240v) / E12 (120v) - Max 40W



\*ENSURE ANY ELECTRICAL WORK IS CARRIED OUT BY A QUALIFIED ELECTRICIAN\*

# OPERATION AND MAINTENANCE

## INSTALLATION INSTRUCTIONS

### 6 OF 7

BARONCELLI ⌘




#### STEP A TROUBLE SHOOTING - ELECTRICAL FAULTS

If only a single bulb is not working, check, remove and replace the bulb.

NOTE: Bulbs - E14 (240v) / E12 (120v) - Max 40W

#### STEP B TROUBLE SHOOTING - ELECTRICAL FAULTS

Check fuseboard



#### STEP C TROUBLE SHOOTING - ELECTRICAL FAULTS

Check/test lamp holder. Retrace installation steps to access.

#### STEP D TROUBLE SHOOTING - ELECTRICAL FAULTS

Remove finial and fondino to check/test connections at arm bases.


\*ENSURE ANY ELECTRICAL WORK IS CARRIED OUT BY A QUALIFIED ELECTRICIAN\*

# OPERATION AND MAINTENANCE

## INSTALLATION INSTRUCTIONS

### 7 OF 7

BARONCELLI 



#### STEP E

##### TROUBLE SHOOTING - ELECTRICAL FAULTS

Lower ceiling canopy. Check/test connections at arm arm bases.