


# ZEUS CHANDELIER

## INSTALLATION INSTRUCTIONS

### 1 OF 7

BARONCELLI ⌘



#### WHAT IS INCLUDED

1. Ceiling canopy
2. Chain
2. Glass

#### WHAT YOU WILL NEED

1. Hook
2. Bulbs - E14 (240v) / E12 (120V) - Max 60W
3. Screwdriver (3.5mm / 1/8" flat tip) + pliers
4. Soft cloth

#### WEIGHT


5 LIGHTS	16 kg (35LB)
10 LIGHTS	20kg (45LB)
12 LIGHTS	25 kg (55LB)

# ZEUS CHANDELIER

## INSTALLATION INSTRUCTIONS

### 2 OF 7


BARONCELLI ⌘



#### STEP 1


Prepare fixing points at ceiling beam, joist or suitable location. Ensure fixing locations are capable of taking the relevant load. Remove excess chain to determine full drop.

NOTE: CEILING HOOK IS NOT SUPPLIED




#### STEP 1 (US)

Securely fasten bracket bar to the junction box. Pass the stem through the bracket bar and secure using nuts above and below. Ensure the fixing is capable of taking the required weight. Remove excess chain to determine full drop.



#### STEP 2

Remove hickey, hex nuts, collar ring and silicone washer from the stem.



#### STEP 3


Assemble central stem elements and secure using the collar ring beneath the glass. Ensure silicone washers are used between metal and glass.

# ZEUS CHANDELIER

## INSTALLATION INSTRUCTIONS


### 3 OF 7

BARONCELLI ⌘




#### STEP 4

Attach fondino plate to the stem. Ensure the plate is secured using hex nuts above and beneath. Attach hickey locking in place using side screw.



#### STEP 5


Chase electrical cable through stem. Use shackle to hook the stem to the chain.



\*ENSURE ANY ELECTRICAL WORK IS CARRIED OUT BY A QUALIFIED ELECTRICIAN\*

#### STEP 6

Thread cable through the chain and post up through the short stem into the ceiling canopy. Make electrical connection.



NOTE: Bulbs - E14 (240v) / E12 (120v) - Max 60W

#### STEP 7


Install the arms into their corresponding sockets within the fondino plate. Secure into the socket below the plate and make electricals using 'click' connectors. Insert bulbs and test electrics.

# ZEUS CHANDELIER

## INSTALLATION INSTRUCTIONS


### 4 OF 7

BARONCELLI 



#### STEP 8

Raise ceiling canopy and secure in position. Install cup, candle sleeve and bulb onto each arm.



#### STEP 9


Raise fondino and metal liner into position and secure using finial beneath.

\*ENSURE ANY ELECTRICAL WORK IS CARRIED OUT BY A QUALIFIED ELECTRICIAN\*

# OPERATION AND MAINTENANCE


5 OF 7

BARONCELLI 




## GLASS CLEANING

Glass elements should be carefully cleaned using a soft cloth.



## METAL CLEANING

Carefully clean metal surfaces using a soft cloth and no liquid.



NOTE: Bulbs -  
E14 (240v) / E12 (120v) - Max 60W

## REPLACING A BULB


Ensure electricals are switched off and bulb has cooled down. Remove bulb and replace.

\*ENSURE ANY ELECTRICAL WORK IS CARRIED OUT BY A QUALIFIED ELECTRICIAN\*

# OPERATION AND MAINTENANCE

## 6 OF 7


# BARONCELLI



NOTE: Bulbs -  
E14 (240v) / E12 (120v) - Max 60W


### STEP A TROUBLE SHOOTING - ELECTRICAL FAULTS

If only a single bulb is not working, check, remove and replace the bulb.




### STEP B TROUBLE SHOOTING - ELECTRICAL FAULTS

Check fuseboard.



### STEP C TROUBLE SHOOTING - ELECTRICAL FAULTS

Check/test lamp holder. Retrace installation steps to access.



### STEP D TROUBLE SHOOTING - ELECTRICAL FAULTS


Remove finial and fondino to check/test connections at arm bases.

\*ENSURE ANY ELECTRICAL WORK IS CARRIED OUT BY A QUALIFIED ELECTRICIAN\*

# OPERATION AND MAINTENANCE

7 OF 7

BARONCELLI 



## STEP E

### TROUBLE SHOOTING - ELECTRICAL FAULTS

Lower ceiling canopy. Check/test connections at arm bases.