



POLARIS LT 55

INSTALLATION INSTRUCTIONS

1 OF 6

BARONCELLI ⌘



WHAT IS INCLUDED

1. Ceiling canopy
2. Stem
3. Arms
4. LED Drivers

10 Lights

WEIGHT

18kg (40lb)

WHAT YOU WILL NEED



1. Junction box fixings
2. Screwdriver (3.5mm / 1/8" flat tip) + pliers
3. Soft cloth
4. Hex Key

POLARIS LT 55

INSTALLATION INSTRUCTIONS

2 OF 6



BARONCELLI ⌘



ENSURE ANY ELECTRICAL WORK IS CARRIED OUT BY A QUALIFIED ELECTRICIAN

STEP 1

Set out ceiling fixing locations. Power feed is required at both locations.



STEP 2


Assemble the central stem. Attach drum spacers to either end of the stem. Pass electrical cable through the drum spacer.

POLARIS LT 55

INSTALLATION INSTRUCTIONS


3 OF 6

BARONCELLI ⌘




STEP 4

Attach arms into each drum spacer and secure with hex nuts.



**CONNECT ELECTRICAL
CABLES AFTER STEMS
WERE TIGHTENED**



STEP 5


Close the fascia plate using the endcap. Screw the endcap into the hickey to secure.

POLARIS LT 55

INSTALLATION INSTRUCTIONS

4 OF 6

BARONCELLI ®





TIGHTENING

If once tightened the ring is not in the appropriate position this can be loosened slightly to achieve this. When loosening, only the ring should be rotated, the stem must remain in position tightened against the drum spacer.

TIGHTENING

Tighten each arm until it is secure into the drum spacer. The stem can be tightened by carefully gripping the ring to turn.



NOTE: SCREW FIXINGS ARE NOT SUPPLIED
This step will take minimum of two people.

STEP 6

Pass each stems through ceiling canopy.
Slide the cover plate between stem and ceiling bracket.
Pass the electrical cable through ceiling bracket and secure using hex nuts.

STEP 7


Raise pendant.
Securely fix canopies to ceiling beam or joist (junction box for US) located centrally to the fittings intended position. Ensure the fixing is capable of taking the relevant load.

POLARIS LT 55

INSTALLATION INSTRUCTIONS

5 OF 6

BARONCELLI ⌘




ENSURE ANY ELECTRICAL WORK IS CARRIED OUT BY A QUALIFIED ELECTRICIAN

STEP 8

Make electrical connection. This product requires LED driver. Check wattage and driver qty.

STEP 9

Test the electrical connections and secure the outer casings into position.



DO NOT OVERTIGHTEN THE SPHERE

STEP 10


Mount the sphere on to the ring.

Note: ENSURE SPHERES DO NOT TOUCH LED TAPES TO AVOID ANY DIRT OR OIL MARKS.

OPERATION AND MAINTENANCE


6 OF 6

BARONCELLI 




METAL CLEANING

Carefully clean metal surfaces using a soft cloth and no liquid.



STEP A
TROUBLE SHOOTING - ELECTRICAL FAULTS
Check fusebaord



STEP B
TROUBLE SHOOTING - ELECTRICAL FAULTS
Lower ceiling canopy. Check/test connections.